

GOVERNMENT OF TELANGANA
ABSTRACT

Public Servants – RWS&S Dept. – Allegations of irregularities in execution of pipeline work under Swajaladhara Phase-III under RWS Scheme in Barigalagudem H/o.Gambhiraopet, Gambhiraopet (M), Karimnagar District – Disciplinary proceedings initiated against Sri R. Chandrasekhar, Dy.Executive Engineer formerly at RWS SD, Sircilla now Dy.EE, PR, PIU Korutla Sub-Division Karimnagar – Imposition of penalty of "Reduction in time scale of Pay by two(2) stages for two(2) years besides recovery of Rs.39,529/ – Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.19.

Dated:09.01.2017.

Read the following:-

1. Letter No.A6/5649/2008-Pts., dt.02.12.2008 of the District Collector, Karimnagar.
2. Govt Memo No.27759/Vig.IA/2008-3, PR & RD (VIG.IA) Dept, dt.26.06.2009.
3. WSD of Sri R. Chandrasekhar, Dy.EE, PR SD, Eturunagaram, Warangal District, dt. 13.07.2009.
4. G.O.Rt.No. 825, PR&RD (Vig.IA) Dept., dt. 09.06.2010.
5. G.O.Rt.No. 347, PR&RD (Vig.IA) Dept., dt. 28.02.2012.
6. G.O.Rt.No.610, PR&RD (Vig.IA) Dept., dt. 12.04.2012.
7. From the Commissioner of Inquiries, G.A.D, D.O.Lr.No.122/COI. P/2012-2, dt. 04.09.2012.
8. Govt.MemoNo.27759/Vig.IA/2008-15, PR&RD (Vig.IA) Dept., dt.16.11.2012.
9. Explanation dt.19.12.2012 from Sri R.Chandrasekhar, Dy.EE, PR(PIU), Korutla SD, Kaimnagar
10. Govt.Letter No.27759/Vig.IA/2008-21, PR&RD (Vig.IA) Dept., dt.08.01.2014.
11. Letter No.316/RT/3/2014, received from the APPSC, dt.28.03.2014.
12. Govt.Letter No.27759/Vig.I/A2/2008-23, PR&RD (Vig.I) Dept., dt.28.12.2015.
13. Letter No.316/RT/3/2014, received from the TSPSC, dt.04.05.2016

ORDER:

In the reference 2nd read above, charges were framed against Sri R. Chandrasekhar, Dy.Executive Engineer formerly at RWS SD, Sircilla now at PR SD, Eturunagaram, Warangal District, under Rule 20 of A.P.Civil Services (CC&A) Rules, 1991, for the irregularities in execution of pipeline work under Swajaladhara Phase-III under RWS Scheme in Barigalagudem H/o.Gambhiraopet, Gambhiraopet (M), Karimnagar District. In the reference 3rd read above, the charged officer has submitted his written statement of defence.

2. After examining the matter, in the reference 4th read above, orders were issued appointing the Commissioner of Inquiries, G.A.D. as Inquiring Authority for conducting detailed inquiry against Sri R. Chandrasekhar, Dy.Executive Engineer formerly at RWS SD, Sircilla now at PR SD, Eturunagaram, Warangal District and three (3) others, as per Rule 20 (2) of A.P.Civil Services (CC&A) Rules, 1991 and also the Chief Engineer, V&QC, RWS, Hyderabad as Presenting Officer therein. In the references 5th & 6th read above, modified orders have been issued changing the Inquiring Authority.

3. In the reference 7th read above, the Inquiring Authority (COI) has submitted inquiry report holding that the charge against Sri R. Chandrasekhar, Dy.Executive Engineer formerly at RWS SD, Sircilla now Dy.EE, PR, PIU Korutla Sub-Division Karimnagar is held proved. A copy of inquiry report was communicated to the charged officer with a direction to submit his representation, if any, on the findings of the inquiring authority, vide reference 8th read above. In reply, the charged officer has submitted his representation vide reference 9th read above.

4. After careful examination of the matter, Government have taken a provisional decision and consulted the APPSC in the reference 10th read above. The APPSC in the reference 11th read above has advised to impose the penalty of "Reduction in time scale of Pay by two(2) stages for two(2) years besides recovery of Rs.39,529/- (30%) against Sri R. Chandrasekhar, former Dy.EE (RWS), Sircilla. The TSPSC has been consulted in this regard vide reference 12th read above.

P.T.O.

::2::

5. Government after careful examination of the entire matter have decided and hereby order to impose a penalty of "Reduction in time scale of Pay by two(2) stages for two(2) years besides recovery of Rs.39,529/- (Thirty Nine thousand Five Hundred and Twenty Nine only) (30%) against Sri R. Chandrasekhar, former Dy.EE (RWS), Sircilla and now Dy.EE, PR, PIU Korutla Sub-Division Karimnagar under Rule 9 of A.P. Civil Services (CC&A) Rules, 1991(Telangana Adaptation Order) 2016 on the allegations of irregularities in execution of pipeline work under Swajaladhara Phase-III under RWS Scheme in Barigalagudem H/o.Gambhiraopet, Gambhiraopet (M), Karimnagar District.

6. The Engineer-in-Chief, RWS&S, Hyderabad, shall take further action in the matter, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

To

Sri R. Chandrasekhar, former Dy.EE (RWS), Sircilla and now Dy.EE, PR, PIU Korutla
Sub-Division Karimnagar through the Engineer-in-Chief, RWS&S, Hyderabad.

The Engineer-in-Chief, PR, Hyderabad

The Engineer-in-Chief, RWS&S, Hyderabad.

Copy to:

The Secretary, TSPSC, Hyderabad

The Secretary to VC, Telangana Vigilance Commission, Hyderabad.

SF/SC.

//FORWARDED ::BY ORDER//

SECTION OFFICER